

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

bronchitis, 4; cirrhosis of liver, 3; diarrhea and dysentery, 4; enteritis, 2; puerperal fever, 1; malarial fevers, 4; gangrene, 1; gastritis, 4; hepatitis, 4; meningitis, 1; senile debility, 2; Bright's disease, 1; nephritis, 1; stillborn, 6; pneumonia, 1; syphilis, 4; tetanus, 1; tetanus, infantile, 3; tuberculosis, 15, and from other causes, 51. There were 2 cases of smallpox.

NOVEMBER 3, 1902.

For the week ended November 1, 1902, there were reported 79 deaths from the following causes: Aneurism, 1; arterio-sclerosis, 2; beriberi, 1; bronchitis, 2; diarrhea, 1; enteritis, 3; malarial fevers, 3; gangrene, 2; gastritis, 5; hepatitis, 2; elephantiasis, 1; meningitis, 1; senile debility, 2; Bright's disease, 1; stillborn, 6; pneumonia, 2; infantile tetanus, 2; tuberculosis, 11, and from other causes 31. There were 2 cases of smallpox.

H. W. Furniss.

The SECRETARY OF THE TREASURY.

#### CANADA.

Inspection of immigrants at Quebec.

QUEBEC, CANADA, November 17, 1902.

Week ended Saturday, November 15: Inspected, 258; passed; 258. W. C. BILLINGS,

Assistant Surgeon.

The SURGEON-GENERAL.

## CHINA.

Report from Hongkong—Traffic with Philippines resumed.

Hongkong, China, October 13, 1902.

For the week ended October 11, 1902, 10 vessels were inspected, 843 individuals were bathed at the disinfecting station, and 1,120 pieces of baggage were disinfected. There were 3 rejections from all causes during the week. Cholera has about disappeared, no cases having been reported during the week. The sanitary report shows 1 case of plague and 1 death, the body having been found in the street in the Chinese quarter of the city. One case of enteric fever (Indian) was also reported in the colony during the week.

On advice from P. A. Surg. J. C. Perry, chief quarantine officer for the Philippine Islands, that the restrictions against Asiatic steerage passengers had been removed at Philippine ports, this traffic was again

resumed October 8, 1902.

JOHN W. KERR,
Assistant Surgeon.

The Surgeon-General.

### EGYPT.

# Reports on cholera.

CAIRO, EGYPT, October 20, 190%.

SIR: I have the honor to confirm the following cablegram to the Department regarding the cholera epidemic in Egypt:

CAIRO, EGYPT, October 18, 1902.

SECRETARY OF STATE, Washington: Since 12th instant, 705 cases cholera, 636 deaths—all Egypt.—SMITH. The sanitary department had hoped to officially announce the end of the epidemic by this time, but, while the conditions have continued to improve rapidly, it will be a fortnight or more before the disease has entirely disappeared in all the provinces.

The following will show the number of cases and deaths for the week

ended October 18, 1902.

Egypt.	New cases.	Deaths.	Cures.	Egypt.	New cases.	Deaths.	Cures.
Cities: Cairo	13 1 	10 54 4 21 3 1 1 1 38 167	1 22 5 1 3 8 7 4 5	Provinces—Cont'd.  Dakalieh	17 3 4 20	43 26 77 14 5 34 1 7 42 71	15 6 8 4 3 1 15 19 9

Total cases in all Egypt since date of outbreak (July 15, 1902) 38,687; total deaths, 32,918; total cures, 5,664.

OCTOBER 29, 1902.

SIR: I have the honor to confirm the following telegram to the Department regarding the cholera epidemic in Egypt:

CAIRO, EGYPT, October 25, 1902.

SECRETARY OF STATE, Washington:

Since 18th instant, 509 cases cholera, 453 deaths—all Egypt.—SMITH.

The following will show the number of cases and deaths in the cities and provinces during the week ended October 25, 1902:

Egypt.	Cases.	Deaths.	Cures.	Egypt.	Cases.	Deaths.	Cures.
Cities: Cairo		11 1 2 22 147 11	1 9 1 12 4 5	Provinces—Cont'd, Dakalieh Galioubieh Menoufieh Gizeh Beni-Souef Fayoum Guirgeh Keneh Assouan	13 6 2 11 36	11 17 20 3 3 16 46 89	11 2 7 4 2 8 7 16

The conditions still continue to improve. Yesterday's bulletin shows the provinces of Beni-Souef, Minieh, Assiout, and Assouan to be entirely free and no fresh cases or deaths are reported in Cairo, Port Said, Suez, Ismailia, and El Arish.

Total number of cases in all Egypt since outbreak (July 15, 1902) is 39,277; deaths, 33,443; cures, 5,744.

Respectfully,

H. T. SMITH,

United States Vice Consul-General, In Charge.

The Assistant Secretary of State.